



INNOVATIVE SOLUTIONS

for Inspired Living



Scan to call



Scan for website

1	Our Vision
2	Uniting Global Expertise
3	Solutions
4	Quality Assurance
5	Clientele
6	Awards & Media Mentions
7	Features & Benefits
8	Variety & Design Options
9	Proprietary Software
10	Premier Product Lines <ul style="list-style-type: none">- 60 Series Casement System- Monorail (Fixed + Sliding) System- 62/90/112 Series Sliding System- 80/99 Series Sliding System- Slide and Fold System- Tilt and Turn System- Auxiliary Profiles
11	Let's Connect!

CONTENTS

Our Vision:

To be the top-recall brand for uPVC Windows & Doors, embodying the core values of Quality, Durability, Affordability and Elegance

We are one of the fastest-growing window and door system brands in India. Our unique tech-driven approach, combined with highly capable design and technical services, makes us a preferred brand to customers.

Our products are manufactured with 25+ years of global experience from India, Germany and Japan.

Our unique approach, relentless innovation, and unwavering commitment to sustainability set us apart, fueling our journey towards transforming the uPVC window and door industry.

Powered by



Our Acclaimed Team



Varun Algh



Kunal Bahl
Rohit Bansal



Mumbai Based
construction
companies

INDIA



JAPAN



PARTNERS
FUND



SINGAPORE

INCUBATEFUND

Uniting Global Expertise

GreenFortune's team is a mosaic of global talent and partnership, spanning from the specialised technological minds of India to the innovation hubs of Singapore and the advanced engineering landscape of Japan. Our dynamic leaders and strategic alliances with renowned entities signify a world-class pedigree dedicated to shaping the future. Together, we move ahead with a shared vision of excellence and innovation on the world stage.



**PREMIER
PRODUCT LINES,
TAILORED,
CRAFTED AND
ENGINEERED
BY INDIANS, FOR
INDIANS**



Harmonizing Homes and Habits

Envisioning the revolution of uPVC around the globe, GreenFortune brings an unparalleled brand dedicated to quality products and reliable services. We take pride in being one of the fastest-growing window and door system brands in India, blending cutting-edge technology with compassionate craftsmanship. Our commitment is clear: to deliver quality without compromise, affordability without sacrifice, and sustainability without hesitation.

1

Manufacturing

Made in state-of-the-art ISO-certified manufacturing facilities with >100,000MT of capacity in India and Abroad. Our capabilities across various surface treatment methods could satisfy diverse customer needs to produce White, Full-color, ASA co-extrusion, Film and Other profile products.

2

Supply Chain

Our racking system, developed by Craftsman Automation, enables safe and damage-free warehousing of all materials. The scientific approach to materials planning and inventory management enables high service levels. In partnership with 15+ Logistics companies, we provide hassle-free deliveries to any part of India at economical rates.

3

Quality assurance

Our products are compounded to meet leading international standards such as EN ISO, and ASTM and are tested regularly at government-certified CIPET laboratories. Our products are dependable and durable, protected by warranty.

Unwavering Commitment to Quality



Test Name	Standard	Unit	Test Value Obtained
Density	ASTM D 792	g/cc	1.49
Flammability (Vertical burning) at 2.2mm thickness	UL-94		V-0
Limiting Oxygen Index	ASTM D 2863	%	42.6
Vicat Softening Point at 5Kg Load	ASTM D 1525	°C	82.1
Thermal Conductivity at 55 °C Mean Temperature	ASTM D 1530	W/mK	0.242
Co-efficient of Linear Thermal Expansion (30 °C to 60 °C)	ASTM E 228	/°C	4.95 X 10 ⁻⁵
Tensile Strength	ASTM D 638	MPA	27.1
Elongation at break	ASTM D 638	%	50.0
Charpy Impact Strength (Notched)	ASTM D 6110	kJ/m ²	47.87
Flexural Modulus	ASTM D 790	N/mm ²	2762
Flexural Strength	ASTM D 790	N/mm ²	47.62
Hardness (Shore D)	ASTM D 2240		76
Ball Impact Hardness (Rockwell Hardness - R - Scale)	ASTM D 785		58

Quality with Affordability

Our Clientele

Developers/Builders



Institutions/Offices/Hospitals



Institutions/Schools/Colleges



Government



and many more

Note: Includes projects executed by our fabricators.

Dedicated Customer Service Desk



Design



Technical
Services




Installation



After sales
support

Awards and Media Mentions



GreenFortune™ UPVC window and door systems

High-Quality &
Well-Engineered

Suitable for
Indian Conditions

Advanced technologies &
Materials used

Sufficient Loadbearing
Properties

Optimized
Strength-to-Weight ratio

Cost-effective &End
-End Execution Certainty



Quality



Durability



Affordability



Elegance

Several Benefits



Lead Free



Fire Resistant



Termite Proof



Eco Friendly



Weather
Resistant



Prevents Rainwater
Seepage



Noise Control



Energy Saving



UV Protection



Low
Maintenance



Prevents Dust
Buildup



Pollution
Resistant



Avg. 2.2mm
Wall Thickness





Multi-
Chambered



ROHS



Designs that make a statement

**CASEMENT****SLIDING****FIXED****TILT & TURN****SLIDE & FOLD****LIFT & SLIDE****COMBINATION****BAY & BOW****DOUBLE HUNG****SINGLE HUNG****GLASS-TO-GLASS****WITH GRILL OPTIONS**

Wide variety to meet *budget and performance criteria*



**60 SERIES
CASEMENT SYSTEM**



**MONORAIL
SYSTEM**



**62 SERIES
SLIDING SYSTEM**



**80 SERIES
SLIDING SYSTEM**



**90 SERIES
SLIDING SYSTEM**



**99 SERIES
SLIDING SYSTEM**




**112 SERIES
SLIDING SYSTEM**




**GRILL
SYSTEM**

A Spectrum of Colour Options for Your Vivid Vision.


Solid Colours



Milk White



Grey



Black

Laminates



Golden Oak



Walnut




Dark Oak



Gun Metal Grey



Red Oak



Jet Black





1

**Design with ease**

Wide design capability across a range of materials- 60/62/80/90/99/112 Series

2

**Generate the most optimal Bill-of-Materials**

Post design, our software generates the most optimal Bill-of-Materials, estimating the best project cost.

3

**Generate Professional Quotations**

Designs can easily be converted into professional quotations, clearly mentioning full specifications window code & location.

4

**Prepare Proforma Invoice and Pay Online**

After project finalisation, one can generate a Proforma Invoice for payment and order placement.

5

**Generate Warranty Cards**

Once materials have been ordered and delivered, one can generate a warranty card to be issued to customers.

PROPRIETARY SOFTWARE

Simplify Design to Delivery with GreenFortune



Our proprietary software allows you to Design, Generate Bill-of-Materials, Optimize cut lengths, Prepare professional quotations, Purchase materials and Generate warranty cards.



60 Series Casement System

The 60 Series Casement System offers sleek windows for any architectural style, enhanced security, and a dust-reducing design. Choose from single-opening, double-opening, or fixed options, with grills for extra sophistication. Perfect for clear views and custom ventilation in any space.

Unique features:

- 3 different sizes of outer frames to suit your requirements
- Double locking mechanism in beading for better security
- Beading design for lower dust accumulation, with a 25% additional safety factor
- Capable of handling heights up to 8 Ft
- Compatible with all leading hardware
- Superior sealing properties with twin gasket mechanism
- Can be used with a Multi-point locking system

Ideal for:

Bedrooms, living rooms, and kitchens, blending seamlessly with both traditional and contemporary architecture.

Maximum Permissible Height:

8 Feet

Average wall thickness:


2.2mm, extendable up to 2.5mm

Glazing Options:


Single Glazing: 4mm to 12mm

Double Glazing: 20 +/- 0.5mm


60 Series Casement System




Small Outer Frame
(CW-GF-006)




Window Outer Frame
(CW-GF-001)




Large Outer Frame
(CW-GF-201)




Outward Window Sash
(CW-GF-002)




Outward Door Sash
(CW-GF-003)




Inward Window Sash
(CW-GF-N101)




Inward Door Sash
(CW-GF-046)




T-Mullion
(CW-GF-004)




Lap Joint Outer Frame
(CW-GF-047)




Mesh Sash
(CW-GF-007)




Glazing Bead (4-6mm)
(CW-GF-005N)





Glazing Bead (8mm)
(SCW-GF-016)



Glazing Bead (12mm)
(SCW-GF-015)




Double Glazing Bead (20mm)
(SW-GF-013N)



CLARITY IN EVERY PANE.

Fresh Perspectives with the
60 Series Casement System.





Monorail System (Fixed + Sliding)

The Monorail System melds minimalist aesthetics with versatile functionality, offering fixed or sliding window options to suit any space. Choose from one side fixed, two sides fixed, the flexibility of an add-on track, or the added detail of a grill option, all within a design that ensures seamless views and contemporary elegance without exceeding your space.

Unique features:

- Highly cost-effective way for openings where limited airflow is required
- Integrated interlock guarantees air tightness
- Double-locking mechanism in beading for better security from theft

Ideal Location

Works for patios, porches, tight walkways & commercial spaces, as well as contemporary and modern-style homes to fit spacious horizontal areas like walls without the additional cost of a dedicated track for Mosquito screen.

Maximum Permissible Height:

8 Feet

Average wall thickness:


2.2mm

Glazing Options:


Single Glazing: 5mm +/- 0.5mm

Double Glazing: 20mm +/- 0.5m


Monorail System (Fixed + Sliding Window)




Casement/Sliding Outer Frame
(CW-GF-036)




Sliding Window Sash
(SW-GF-011)




Casement/Sliding Mullion
(CW-GF-037)




Sliding Window Interlock
(SW-GF-014)



Sliding Glazing Bead (4–6mm)
(SW-GF-013N)



Fixed Glazing Bead (4–6mm)
(SW-GF-028)



“

**SEE MORE,
LIVE MORE.**

Blend Boundaries with the
Monorail System.



62/90/112 Series Sliding System

Our 62/90/112 Series Sliding System is designed for the ultimate modern living. Including a versatile range, these sliding windows and doors offer easy operation, space efficiency, and exceptional energy performance. Choose from a variety of designs like 2, 3, and 4 Panel options, Single and Double Hung Windows, and more. Enhanced with customisable features such as Mesh or Grill options and a Low Threshold Option for seamless integration, our sliding system is crafted to elevate your home's aesthetics and comfort..

Unique features:

- Offered in 3 different sizes of sash to suit your requirement
- Double locking mechanism in beading for better security from theft
- Unique beading design is 25% stronger, enabling lower dust accumulation
- Compatible with all leading hardware options

Ideal Location

Patios, porches, and tight walkways. Popular in commercial spaces, contemporary and modern-style homes featuring large panels of unobstructed glass, designed to fit spacious horizontal areas on a wall without the additional cost of a dedicated track for Mosquito screen.

Maximum Permissible Height:

62 Series - 7 Feet | 90 Series - 8 Feet | 112 Series - 9 Feet

Average wall thickness:


2.2mm, extendable up to 2.5mm

Glazing Options:


Single Glazing: 4mm to 12mm

Double Glazing: 20mm +/- 0.5mm


62/90/112 Series Sliding System




Sliding 2 Track Frame
(SW-GF-022)




Sliding 2.5 Track Frame
with Mesh Rail (SW-GF-020)




Sliding 3 Track Frame
(SW-GF-021)




Sliding Window Sash
(SW-GF-023)




Sliding Door Sash
(SW-GF-031)




Sliding Mega Door
Sash (SD-GF-001)




Sliding Window Mesh
Sash (SW-GF-012)




Sliding Door Mesh Sash
(SD-GF-002)




Sliding Sash Mullion
(SW-GF-030)




Sash Connector
(SW-GF-029)




Sliding Window Interlock
(SW-GF-025)




Screen Sash Mullion
(SW-GF-017)




Screen Sash Interlock
(SW-GF-018)




Sliding Door Interlock
(SW-GF-026)




Glazing Bead (4-6mm)
(SW-GF-027N)



Glazing Bead (10mm)
(SW-GF-013N)



Double Glazing
Bead (20mm)
(SW-GF-028)




**62 Series
Sliding System**




**90 Series
Sliding System**




**112 Series
Sliding System**



62 Series Sliding System



90 Series Sliding System



112 Series Sliding System

“
**SMOOTH,
SECURE,
STUNNING.**



80/99 Series Sliding System

This system is designed for small to medium openings, providing expansive views with a minimalist design. With customisable sash sizes, enhanced security features, and compatibility across our sliding series, it offers an array of designs, including 2 and 3-panel options, as well as bay and bow windows. Ideal for cosy bedrooms to elegant drawing rooms, the 80/99 Series promises a blend of functionality and sophistication without compromising on space.

Unique features:

- Offered in 2 different sizes of sash to suit your requirement
- Lower threshold enabling larger glass area for smaller openings
- Similar appeal as 62/90/112 Sliding series system
- Compatible with all leading hardware brands
- Double locking mechanism in beading enables better security from theft
- Curved beading design is 25% stronger, enabling lower dust accumulation

Ideal Location

Medium-sized openings in contemporary and modern-style bedrooms, drawing rooms, along patios, porches, and tight walkways, Budget homes, and commercial spaces. Large panels of unobstructed glass in horizontal wall spaces without the additional cost of a Mosquito screen.

Maximum Permissible Height:

80 Series - 6 Feet | 99 Series - 8 Feet

Average wall thickness:


2.0 to 2.2mm, extendable up to 2.5mm

Glazing Options:


Single Glazing: 4mm to 12mm

Double Glazing: 20mm +/- 0.5mm


80/99 Series Sliding System




Sliding 2.5 Track Frame
(SW-GF-010N)




Sliding 3 Track Frame
(SW-GF-032)




Sliding Window Sash
(SW-GF-011)




Sliding Door Sash
(SW-GF-033)




Sliding Window Mesh Sash
(SW-GF-012)




Sliding Door Mesh Sash
(SD-GF-002)




Sash Mullion
(SW-GF-016)




Screen Sash Mullion
(SW-GF-017)




Screen Sash Interlock
(SW-GF-018)




Sash Connector
(SW-GF-015)



Sliding Window
Interlock (SW-GF-014)



Sliding Door Interlock
(SD-GF-050)





Glazing Bead (4-6mm)
(SW-GF-013N)



**80 Series
Sliding System**




**99 Series
Sliding System**



EFFORTLESS, SAFE, ELEGANT.

Designs that maximise space with sophistication.

The 80/99 Series Sliding System



Slide and Fold System

Green Fortune's Slide & Fold doors offer an innovative home improvement solution that merges the beauty of the outdoors with the comfort of your indoor space. Crafted for smooth operation, these glide and fold with ease, allowing you to transform your living area by connecting it to the outside world with just a simple push. Whether your home needs a compact 2-panel setup or a more expansive 4-panel configuration, our doors are designed to fit any space and adapt to different weather conditions for long-lasting performance.

Unique features:

- Can be used in multiple options : 2-fold, 3-fold or 4-fold
- Compatible with all leading hardware brands
- Double-locking mechanism in beading for better security from theft
- Unique curved beading design is 25% stronger, with lower dust accumulation

Ideal Location

Villas or high-rise apartments – Gardens & Patios, Entertainment Areas, Balconies

System:

60 Series Casement System

Maximum Permissible Height:

8 Feet

Average wall thickness:


2.2mm, extendable up to 2.5mm

Glazing Options:

Single Glazing: 4mm to 12mm

Double Glazing: 20mm +/- 0.5mm







Tilt and Turn System

Efficient, stylish, and versatile, our uPVC Tilt & Turn Windows redefine functionality and elegance for modern spaces

Unique Features:

- Inward opening uPVC windows double as a casement or tilt inward at the top for ventilation.
- Multi-locking systems for added safety & protection.
- Seals tightly to minimise drafts and conserve energy.
- Designed for effortless cleaning and upkeep.

Ideal Location

Rooms, perfect for city apartments or modern homes with small rooms with limited exterior space requiring controlled ventilation.
Bathrooms, perfect for maintaining a fresh and dry environment
High-Rise Buildings: Ideal for upper floors where outward openings are restricted.

System:

60 Series Casement System

Average wall thickness:


2.2mm, extendable upto 2.5mm

Glazing Options:


Single Glazing: 4mm to 12mm

Double Glazing: 20mm +/- 0.5mm


Auxiliary Profiles




Door Panel 1
(SCW-GF-017) (15mm)




Door Panel 2
(SCW-GF-014) (20mm)




Louver Blade
(SCW-GF-011)




Georgian Bar
(SCW-GF-013)




60 Coupler
(SCW-GF-008)




80-60 Coupler
(SCW-GF-007)




60 Tube Adopter
(SCW-GF-N101)




60 Any Angle Bay
Corner Adopter
(SCW-GF-N102)




Sliding Screen Sash
Frame (SW-GF-035)




Add On Track
(SW-GF-048)




60 Round Pipe
(SCW-GF-N103)




Switch Frame
(SCW-GF-N104)




Universal Cornice
(SCW-GF-N106)




Door Sash Cover
(SCW-GF-N108)




Universal Corner
(SCW-GF-N105)




Louver Shutter Bead
(SCW-GF-012)




88-60 Coupler
(SCW-GF-006)




112-60 Coupler
(SCW-GF-N107)



Low Threshold Aluminium
(SCW-GF-N109)



60 Baypole
(CW-GF-010)



90 Baypole
(SCW-GF-009)

Let's Connect



+91 9959083498, +91 9908619666



info@thegreenfortune.com



www.thegreenfortune.com



Traumbuild AndesInfra
Solutions Pvt. Ltd
5-35/189-A, 100 Feet Rd, 4th Floor,
Vilax Prime Prashanti Nagar, I.E,
Kukatpally, Hyderabad,
Telangana 500072



/TheGreenFortune



/the_greenfortune



/thegreenfortune

